

 स्वातंत्र्याचा अमृत महोत्सव	 (महाराष्ट्र शासन) शासकीय दंत महाविद्यालय व रुग्णालय, छत्रपती संभाजीनगर Govt. Dental College & Hospital, Chhatrapati Sambhajinagar	 स्वातंत्र्याचा अमृत महोत्सव
दुरध्वनी: (0240) 2402381/82/83 संकेतस्थळ: www.gdchcsn.ac.in ईमेल: gdca83@yahoo.com		
जा.क्र. शादंमरुछसं/खरेदी/फर्निचर/MSSIDC/मागणी/ 731 /2028 दि.		

12 FEB 2026

प्रति,
 विभागीय व्यवस्थापक,
 महाराष्ट्र लघु उद्योग विकास महामंडळ यांचे कार्यालय,
 विकास भवन, ३रा मजला, डॉ. राजेंद्र प्रसाद रोड,
 छत्रपती संभाजीनगर-४३१ ००१

विषय:- राज्य योजना(प्लॅन) अंतर्गत संस्थेच्या अधिनस्त विभागांस आवश्यक असलेल्या फर्निचरचे दरपत्रक सादर करणेबाबत..

- संदर्भ:- १) शासन निर्णय क्रमांक विअप्र-२०१३/प्र.क्र.३०/२०१३/विनियम, भाग-२, मंत्रालय, मुंबई-३२ दि.१७/०४/२०१५
- २) वैद्यकीय शिक्षण व औषधद्रव्ये विभाग शासन निर्णय क्र. संकीर्ण-२०१४/प्र.क्र.६१६/प्रशा- १ दि.३० जानेवारी, २०१५
- ३) उदयोग उर्जा व कामगार विभाग, शासन निर्णय क्र भांखस-२०१४/प्र.क्र.८२/भाग-३/उदयोग-४, दि. ०१ डिसेंबर, २०१६
- ४) कार्यालयीन टिप्पणी दि.१२/०२/२०२६

या संस्थेच्या वस्तीगृह तसेच प्रशासकीय कार्यालयास खालील नमुद केल्याप्रमाणे फर्निचरची आवश्यकता आहे.

अ.क्र.	फर्निचरचा प्रकार	आवश्यक नगसंख्या
१	Steel Revolving Stool	६० नग
२	Three Seater Waiting Chair	८ नग
३	Double Face Library Book Rack	५ नग
४	Steel Cupboard Large Size	५ नग
५	Mobile Storage Rack for Record Room	५ नग
६	Heavy Duty Six Shelving Single Open Face Rack for stores	९ नग
७	Heavy Duty Ten Shelving Single Open Face Rack for stores	३ नग

आपले कार्यालय हे शासनाचे अंगीकृत व्यवसाय असल्याने, वरील नमुद फर्निचरचे दर खालील बाबी विचारात घेऊन या कार्यालयास कळविण्यात यावेत.

- १) फर्निचरसाठी दरपत्रकांत नमुद करण्यात येणारे दर हे सर्व करांसहित तसेच बाजारभावाशी सुसंगत असावेत.
- २) फर्निचरच्या खरेदीसाठी आपणास मागणीपत्र सादर करण्यात आल्यानंतर, सदरहु फर्निचरच्या खरेदीसाठी संदर्भाधिन-३ चे शासन निर्णयातील अटी व शर्तीचे काटेकोर पालन करून, आपल्या स्तरावर सुक्ष्म व लघु उद्योग यांचेसाठी निविदा प्रक्रिया राबवून, त्यानुसार प्राप्त होणारे दर या कार्यालयास कळविण्यात यावेत.
- ३) या कार्यालयाने मागणी केलेल्या विनिर्दिष्टांनुसार उच्च दर्जाचे फर्निचर पुरवठा करावा लागेल.




४) फर्निचरचा पुरवठा करण्यात आल्यानंतर, संस्थास्तरावर उपलब्ध अनुदानानुसार तसेच प्रलंबित असलेल्या देयकांच्या अनुक्रमांकानुसार देयकाची अदायगी करण्यात येईल. देयकांच्या अदायगीस विलंब झाल्यास, त्यासंबंधी आपली कोणत्याही स्वरूपाच्या व्याजाची मागणी मान्य करण्यात येणार नाही. व याप्रकरणी न्यायालयीन प्रकरण उद्भविल्यास, त्यासंबंधीची सर्वस्वी जबाबदारी आपल्या महामंडळाची राहिल.

सबब पत्रात नमुद फर्निचरसंबंधीचे दरपत्रक या कार्यालयास तातडीने पाठविण्यात यावे, जेणेकरून आपणास पुरवठा पत्र नोंदविणे सुलभ होईल.



(डॉ. मा. सं. इंदूरकर)

अधिष्ठाता,
शासकीय दंत महाविद्यालय व रुग्णालय,
छत्रपती संभाजीनगर


प्रत:- मा. आयुक्त, वैद्यकीय शिक्षण व संशोधन, मुंबई यांना माहितीस्तव सविनय सादर.

Name of Furniture	Specifications	Sketchs (if available)
Computer table-1	Made of 18 mm thick Particle Board with Melamine paper lamination. Keyboard tray & Shelves for CPU, Printer, UPS etc. Spacious table top to accommodate Monitor, speakers, scanner etc. This computer table can be used as a study table because it is equipped with a number of shelves to help you segregate stationery to optimize space, extra storage is provided under the table Suitable for Study & Home Office Dimensions: 1200MM X 600MM X 750 MM	
Steel Revolving Stool-60	Style: With Back Cushion with Back Cushion Material: Stainless Steel Shaped: Round Height: 460-660 mm Mounting: Mounted on PVC Stumps Number Of Legs: 4 Usage/Application: Hospital, Clinics Made up of SS frame, SS Top. Provided with foot rest ring.	
Plastic Chairs with cushion-250	Rich gleaming Lacquer finish premium cushioned chair with surface defining comfort seating. Seat Cushions made with Moulded PU Foam for long lasting comfort, Velvet Upholstry for rich feel and ergonomically designed back support makes this chair ideal for long sitting .	


(Signatures)

Three Seater Waiting Chair - 08	Low height & stable (not adjustable) Three seats for one unit Material - Stainless steel Back rest & seat good comfortable Should be include s/s arm in edge	
Double Face Library Book Rack-05	a double-faced library book rack of 7.5 ft height, 9 ft length, and 22 inch depth: • Type: Double-faced library book rack, also referred to as double-sided shelving. • Dimensions: ◦ Height: 7.5 feet (approximately 228.6 cm). ◦ Length: 9 feet (approximately 274.3 cm). ◦ Depth: 22 inches (approximately 55.9 cm) - indicating the overall depth of the double-faced unit. • Structure and Materials: ◦ Frame: Likely constructed from robust materials like cold-rolled steel sheets (CRCA) or mild steel for durability and stability. ◦ Shelves: Made from materials such as CRCA sheets (e.g., 20 gauge steel) or potentially wood (e.g., pre-laminated board) depending on design. ◦ Brackets: Supporting the shelves, often made of CRCA sheet (e.g., 16 gauge steel). ◦ Base: May include base shoes for added stability, potentially made of CRCA sheet (e.g., 16 gauge steel). • Capacity and Shelf Configuration: ◦ Shelf Load Capacity: Individual shelves designed to handle a significant weight per layer, often specified as 50-100 kg or even higher. ◦ Number of Shelves: Typically includes multiple shelves, often around 5-7 levels depending on height and adjustability. ◦ Adjustability: Shelves are often adjustable to accommodate various book sizes, achieved through slots or adjustable components in the frame. ◦ Book Stoppers: Built-in book stoppers or dividers are likely included to keep books upright and organized. • Features and Finish:	

Handwritten signature and date: 10/03/2021

	- Finish: Commonly features a powder-coated finish for durability, rust resistance, and aesthetic appeal. Epoxy powder coating to a specified thickness (e.g., 50 microns) is also common. - Color: Often available in standard colors like light grey or can be customized to match the decor of the library. - Assembly: Designed for easy assembly (e.g., knock-down structure) and transport, with on-site assembly often provided. - Other Potential Features: - Integrated labeling systems for easy book categorization. - Optional pull-out reference tablets or display units. - Consideration for earthquake safety with features like wall anchoring for single-sided racks. - Potential for incorporating shutters for closed book cabinets	
Steel Cupboards	Steel Cupboards double door Approximate Size H x W x D 78" x 36" x 19" (minor deviation in dimension $\pm 5\%$ is negotiable) Good quality door lock with duplicate keys Minimum Five compartments. (Horizontal) Gauge of steel 0.7mm The Steel cupboard should be made of CRCA sheet body 0.7 mm, door- 0.7 mm & back with 0.6 mm thick. 6 lever locking arrangement with nickel finished die cast handle. Surface Finish: CRCA powder coated with color options as per Requirement. Make: Lock, handel, standard hardware	
Mobile Compactor Storage System for record section- 05	Storage Capacity: 201-250kg per layer Material: Mild Steel Specific Use: Filing Cabinet Height: 7 feet or above Double Row: 3 x 3 (9) feet Long & 2 feet Depth Maximum Load: 250 kg per Cabinet Floor Space Utilization: 80% Finish: Powder coat Color: gray Colour Layers per rack: 5 Plate Thickness: 0.8mm CRC metal sheet Panel thickness: 30mm multiple folding Locking System: Centralized Single Lock Mobility Mechanism: Rails: Mobile racks run on rails installed on the floor, usually made of steel, which guide the movement of the shelving units. Adjustable Shelves: Allow for flexible storage of records of different sizes.	

Handwritten signature and initials

	Dividers: Can be used to organize and separate records within the shelves, according to Amazon.in.	
Heavy Duty Six Shelving Single Open Face Rack for stores-09	• Type: Single-faced storage rack • Dimensions: ◦ Height: 7 feet ◦ Length: 3.2 feet ◦ Depth: 23 inches • Structure and Materials: ◦ Frame: Likely constructed from robust materials like cold-rolled steel sheets (CRCA) or mild steel for durability and stability. ◦ Brackets: Supporting the shelves, often made of CRCA sheet (e.g., 16 gauge steel). ◦ Base: May include base shoes for added stability, potentially made of CRCA sheet (e.g., 16 gauge steel). • Capacity and Shelf Configuration: ◦ Shelf Load Capacity: Individual shelves designed to handle a significant weight per layer, often specified as 100-120 kg or even higher. ◦ Number of Shelves: 6 levels/Layers ◦ Stoppers: Built-in stoppers or dividers are likely included to keep organized. • Features and Finish: ◦ Finish: Commonly features a powder-coated finish for durability, rust resistance, and aesthetic appeal. Epoxy powder coating to a specified thickness (e.g., 50 microns) is also common. ◦ Color: Often available in standard colors like light grey or can be customized to match the decor. ◦ Assembly: Designed for easy assembly (e.g., knock-down structure) and transport, with on-site assembly often provided. ◦ Other Potential Features: ◦ Integrated labeling systems for categorization.	
Heavy Duty Eight/Ten Shelving Double Open Face Rack for stores-03	• Type: Double-faced storage rack • Dimensions: ◦ Height: 7 feet ◦ Length: 3.2 feet ◦ Depth: 46 inches • Structure and Materials: ◦ Frame: Likely constructed from robust materials like cold-rolled steel sheets (CRCA) or mild steel for durability and stability.	Blue 2021 

	○ Brackets: Supporting the shelves, often made of CRCA sheet (e.g., 16 gauge steel). ○ Base: May include base shoes for added stability, potentially made of CRCA sheet (e.g., 16 gauge steel). • Capacity and Shelf Configuration: ○ Shelf Load Capacity: Individual shelves designed to handle a significant weight per layer, often specified as 100-120 kg or even higher. ○ Number of Shelves: 8 levels/Layers ○ Stoppers: Built-in stoppers or dividers are likely included to keep organized. • Features and Finish: ○ Finish: Commonly features a powder-coated finish for durability, rust resistance, and aesthetic appeal. Epoxy powder coating to a specified thickness (e.g., 50 microns) is also common. ○ Color: Often available in standard colors like light grey or can be customized to match the decor. ○ Assembly: Designed for easy assembly (e.g., knock-down structure) and transport, with on-site assembly often provided. ○ Other Potential Features: Integrated labeling systems for categorization.	
--	---	--

Shum *for* Ref: 

