

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

(Land Document, 7/12 Extracts, Title Verification, Building Deed, Building Approved Final plan by Corporation/Municipal Council, Hospital, College Architect Certified Rooms sizes (Dimensions) Constructed Area – College Hospital, Hostel, Accommodation)

INFRASTRUCTURE

SN	Particulars to be verified	Details on College Website	Adequate/ Inadequate
COLLEGE			
1	Land details: Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes	Adequate
2	Total constructed area of college building (Minimum 5 acres of land)		
	a) Dean's room	Yes	Adequate
	b) Administrative Officers' room		
	c) Meeting room		
	d) Office		
	e) Office Stores		
	f) Pantry etc.		
3	Library: 4204 Sq. Ft. consisting of :		
	a) Reception & waiting, Property counter	Yes	Adequate
	b) Issue counter		
	c) Photocopying area		
	d) Reading room to accommodate 50% of total students strength		
	e) Postgraduates & staff reading room		
	f) Journal room		
	g) Audio-visual room		
	h) Chief librarian room		
	i) Stores and stocking area		
	j) E-Consortium provision to be provided in the College Library connected with the National Medical Library		
4	Lecture Halls – 4 (3789 Sq. Ft.)Sq. Ft. Each hall to accommodate 10% more of admission strength with proper seating arrangement, blackboard, microphone and facilities for slide, overhead and multi-media projection.		
5	Central Stores 1308Sq. Ft. With proper storing facilities like racks and refrigerator, preferably compact storage systems.	Yes	Adequate
6	Maintenance room:600 Sq. Ft. Equipped with proper facilities to maintain and repair dental chairs and units and various other equipments in the college and hospital.	Yes	Adequate
7	Photography and artist room: 805 Sq. Ft. With proper studio facilities for clinical photography, developing, preparation of slides, charts, models etc.	Yes	Adequate

8	Medical stores Sq. Ft.		NA	NA
	Stocked with all the necessary drugs usually prescribed in a dental hospital.			
9	Amenities area 2000 Sq. Ft.		Yes	Adequate
	a)	Boys' and Girls' locker rooms	Yes	Adequate
	b)	Boys' and Girls' common rooms	Yes	Adequate
	c)	Common room for non-teaching staff	Yes	Adequate
	d)	Common room for teaching staff	Yes	Adequate
	e)	Change room for men	Yes	Adequate
	f)	Change room for women	Yes	Adequate
10	Compressor and room for gas plant:22x12Sq. Ft.		Yes	Adequate
	Adequate to accommodate required capacity compressors, gas cylinders etc.			
11	Pollution control measures:		Yes	Adequate
	All the dental institutions shall take adequate pollution control measures by providing incarnation plant, sewage water treatment plant, landscaping of the campus etc.			
12	Cafeteria 720Sq. Ft.		Yes	Adequate
	With accommodation for 100 people with kitchen, stores, washing area etc.			
13	University Examination Infrastructure:		Yes	Adequate
	Examination Hall 2280Sq. Ft.		Yes	Adequate
	A separate hall for university and other examination furnished with chairs and individual tables to accommodate 250 students at a time.			
	Strong Room: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility		Yes	Adequate
14	Hostels:		Yes	Adequate
	Hostel accommodation shall be provided for all boys and girls based on number of admissions in the Dental College campus itself. The accommodation may be increased in a phased manner over a period of 4 years.			
15	Staff quarters:		Yes	Adequate
	All the staff members, teaching and non-teaching working in the institution shall be provided adequate accommodation in the 5 acres land earmarked for the college. The staff quarters may be built in a phased manner over a period of 4 years.			
15	Play ground:		Yes	Adequate
	There shall be facilities for both indoor and out-door games in the premises.			
16	Auditorium:		Yes	Adequate
	Should accommodate at least 500 people and consisting of: Proper seating arrangements, reception counter, green rooms, lobby, fitted with sound system, slide and multimedia presentation facility.			
HOSPITAL				
17	i)	Own Hospital:	Yes	Adequate
	ii)	O.P.D.	Yes	Adequate
	iii)	I.P.D.	Yes	Adequate
	iv)	Bed Strength	Yes	Adequate
	v)	Annual Occupancy	Yes	Adequate
	vi)	ICCU Bed Strength	Yes	Adequate
	vii)	Laboratories	Yes	Adequate
	viii)	Casualty Department	Yes	Adequate
	ix)	Equipment's	Yes	Adequate
	x)	Paramedical Staff	Yes	Adequate

	xi)	Space	Yes	Adequate
	xii)	Student: Patient Ratio	Yes	Adequate
18		Laboratories:		Adequate
		I. Dental subjects:		Adequate
	a)	Pre-clinical Prosthodontics and dental material lab – 1530 Sq. Ft.	Yes	Adequate
	b)	Pre-clinical Conservative lab 1184 Sq. Ft.	Yes	Adequate
	c)	Oral biology and oral pathology lab 780Sq. Ft.	Yes	Adequate
	d)	Laboratory for Orthodontics and paedodontics 1300Sq. Ft.	Yes	Adequate
		II. Medical Subjects: (only for independent dental colleges): ...1650Sq. Ft.		Adequate
	a)	Anatomy dissection hall with storage for cadaver, osteology, demonstration room etc. Area 1650Sq. Ft.	Yes	Adequate
	b)	One laboratory for physiology and pathology and microbiology with stores and preparation rooms for individual subjects attached to it. Area 1650Sq. Ft.	Yes	Adequate
	c)	Laboratory for biochemistry and pharmacology with store and preparation rooms separately for both subjects 1650Sq. Ft.	Yes	Adequate
		III. Clinical:		Adequate
	a)	Prosthodontics – Plaster room Polymer room Wax room Casting laboratory Ceramic lab ----1530Sq. Ft.	Yes	Adequate
	b)	Conservative Dentistry – Plaster room Casting & Ceramic laboratories ---1184Sq. Ft.	Yes	Adequate
	c)	Oral pathology for histopathology ---390 Sq. Ft.	Yes	Adequate
	d)	Haematology and clinical biochemistry: a laboratory for routine blood and biochemical investigation and urine analysis --- 390. Ft.Sq	Yes	Adequate
		Distilled Water Plant	Yes	
19		Medical College Attachment		
	a)	Own Medical College?	Yes	
	b)	Private Medical College?	No	
	c)	Govt. Medical College?	Yes	
	d)	Name & address of the Medical College: Govt. Medical College, Chhatrapati Sambhajanagar		
	e)	E-mail address & contact number:02402402412-17		
	f)	Is the Medical College duly recognized by Medical Council of India?	Yes	
	g)	Distance from Dental college to Medical college by 100 metre (please clarify as to whether you have physically verified /taking the reading of Taxi/Car Meter) by ticking yes or no	Yes	
	h)	Whether MOU is signed by competent Authorities between Medical and Dental College for teaching purpose?	Yes	
	i)	Validity Period of MOU	Both are Govt. Colleges	
	j)	Whether the above mentioned Medical College is attached to any other Dental College other than the proposed dental college?	NA	
	k)	GOI Notification No. & Dated	NA	

	xi) Space	Yes	Adequate
	xii) Student: Patient Ratio	Yes	Adequate
18	Laboratories:		Adequate
	I. Dental subjects:		Adequate
	a) Pre-clinical Prosthodontics and dental material lab – 1530 Sq. Ft.	Yes	Adequate
	b) Pre-clinical Conservative lab 1184 Sq. Ft.	Yes	Adequate
	c) Oral biology and oral pathology lab 780Sq. Ft.	Yes	Adequate
	d) Laboratory for Orthodontics and paedodontics 1300Sq. Ft.	Yes	Adequate
	II. Medical Subjects: (only for independent dental colleges): ...1650Sq. Ft.		Adequate
	a) Anatomy dissection hall with storage for cadaver, osteology, demonstration room etc. Area 1650Sq. Ft.	Yes	Adequate
	b) One laboratory for physiology and pathology and microbiology with stores and preparation rooms for individual subjects attached to it. Area 1650Sq. Ft.	Yes	Adequate
	c) Laboratory for biochemistry and pharmacology with store and preparation rooms separately for both subjects 1650Sq. Ft.	Yes	Adequate
	III. Clinical:		Adequate
	a) Prosthodontics – Plaster room Polymer room Wax room Casting laboratory Ceramic lab ----1530Sq. Ft.	Yes	Adequate
	b) Conservative Dentistry – Plaster room Casting & Ceramic laboratories ---1184Sq. Ft.	Yes	Adequate
	c) Oral pathology for histopathology ---390 Sq. Ft.	Yes	Adequate
	d) Haematology and clinical biochemistry: a laboratory for routine blood and biochemical investigation and urine analysis --- 390. Ft.Sq	Yes	Adequate
	Distilled Water Plant	Yes	
19	Medical College Attachment		
	a) Own Medical College?	Yes	
	b) Private Medical College?	No	
	c) Govt. Medical College?	Yes	
	d) Name & address of the Medical College: Govt. Medical College, Chhatrapati Sambhajnagar		
	e) E-mail address & contact number:02402402412-17		
	f) Is the Medical College duly recognized by Medical Council of India?	Yes	
	g) Distance from Dental college to Medical college by 100 metre (please clarify as to whether you have physically verified /taking the reading of Taxi/Car Meter) by ticking yes or no	Yes	
	h) Whether MOU is signed by competent Authorities between Medical and Dental College for teaching purpose?	Yes	
	i) Validity Period of MOU	Both are Govt. Colleges	
	j) Whether the above mentioned Medical College is attached to any other Dental College other than the proposed dental college?	NA	
	k) GOI Notification No. & Dated	NA	

Requirement of the 100 bedded General Hospital for clinical teaching of BDS students drawn up in accordance with the parameters prescribed by BIS/NABH (applicable if Medical College is more than 10 kms away).			Adequate
a)	Own Hospital?	Yes	
b)	Medical College Hospital?	Yes	
c)	Private College Hospital?	No	
d)	Govt. General Hospital?	Yes	
e)	Whether the permission of the attached 100 bedded hospital is issued by the competent authority?	Yes	
f)	Name & address of the Hospital		
g)	Name of the CMO with Tel No. & Mobile No.:		
h)	Name of the Issuing Competent Authority:		
i)	Distance of the hospital from the Dental College by road (please clarify as to whether you have physically verified /taking the reading of Taxi/Car Meter) by ticking yes or no	Yes	

Total number of beds in Hospital: 1177

Category-wise bed distribution:

Department	Required	Alloted	Occupancy		Remarks of the Inspector
			During last 6 months	On the day of inspection	
General Ward – Medical including allied specialities	30	100%	14227		
General Ward – Surgical including allied specialities	30	100%	4774		
Private Ward (A/C Non A/C	9	100%	11844		
Maternity Ward	15	100%	6226		
Pediatric Ward	6	100%	400		
Intensive Care Services (4% of bed strength)	4	100%	100		
Critical Care Services (6% of bed strength)	6	100%	100		

Area Requirements (As per BIS/NABH)

	Required	Available
Covered Area	20 sq.m. / bed	Adequate
Inpatient Services	40%	Adequate
Outpatient Services	35%	Adequate
Department and supportive services	25%	Adequate

Dean / Principal Stamp & Signature

Dean,
Govt. Dental College & Hospital,
Chhatrapati Sambhajinagar


GOVERNMENT DENTAL COLLEGE AND HOSPITAL AURANGABAD

Total Built up area of the dental college and hospital building 81042.383 sqft

Ground floor	25436.838 sqft
First floor	25271.481 sqft
Second floor & Third Floor	30340.065 sqft

Ground floor

Sr.No.	Name	Area
1	Principal's Room	418.63 sqft
2	Computer room	231.03 sqft
3	College council room	388.62 sqft
4	Administrative officer's room	261.63 sqft
5	Office	1985.34 sqft
6	Stenographer's room	54.02 sqft
7	Boys common room	1133.76 sqft
8	Girls common room	1133.76 sqft
9	Library(including reading room)	8000 sqft
10	Central stores	1308.86 sqft
11	Auditorium	3600 sqft.
12	Hostel for Boys and girls	33352.868 sqft
13	Lecture theatre 1	1800 sqft
14	Lecture theatre 2	1800 sqft
15	Lecture theatre 3	189 sqft
16	Seminar room	189 sqft
17	Academic section	264.69 sqft
18	Preclinical Prosthodontics	1184sqft
19	Preclinical Conservative dentistry	1184 sqft
20	Oral Pathology laboratory	806 sqft


DEAN
Govt. Dental College & Hospital
Aurangabad.

Department of Oral Medicine and Radiology

Sr. No	Name	Area
1	Registration room	255 sqft
2	Central Clinic	405 sqft
3	Side room	180 sqft
4	Head of the dept 's room	255 sqft
5	Special clinic	120 sqft
6	X ray Room	120 sqft
7	Dark room	96 sqft
8	Cephalogram and Extra Oral X ray Room	255 sqft
9	Other rooms	442 sqft
10	Stores	88 sqft
11	Waiting room	119 sqft

Gymkhana room 312 sqft

Miscellaneous stores 288 sqft

Workshop 1645 sqft including record room


First floor

Department of Oral and Maxillofacial Surgery

Sr. no.	Name	Area
1	Central clinic	1757 sqft
2	Head of Dept 's room	204 sqft
3	Minor Operation Theatre	120 sqft
4	Other rooms	360 sqft
5	Operation theatre	3514 sqft + 931 sqft

Department of Periodontics

Sr. No.	Name	Area
1	Central Clinic	1757 sqft
2	Head of Dept's room	204 sqft
3	Post graduate Clinic	450 sqft
4	Associate Professor's room	450 sqft
5	Seminar room	255 sqft
6	Special surgery	96 sqft


DEAN
Govt. Dental College & Hospital
Aurangabad.

Department of Community Dentistry

Sr. No.	Name	Area
1	Museum	255 sqft
2	Professor's room	204 sqft
3	Central Clinic	706 sqft
4	Artist	340 sqft
5	Photographer	805 sqft
6	Stores	288 sqft

Department Oral Pathology and Microbiology

Sr. No.	Name	Area
1	Professor Room	255 sqft
2	Associate Professor's Room	119 sqft
3	Histopathology Laboratory	390 sqft
4	Clinical Pathology Laboratory	390 sqft
5	Microbiology room	330 sqft
6	Lecturer Hall	312 sqft
7	Seminar room	390 sqft
8	Oral Anatomy & Oral Pathology Laboratory	806 sqft
9	Stores	144 sqft


Second Floor and Third Floor:

Department of Conservative Dentistry

Sr. No	Name	Area
1	Central Clinic	1757 sqft
2	Professor's room	255 sqft
3	Post Graduate Clinic	465 sqft
4	Special Clinic	96 sqft
5	Stores	391 sqft
6	Pre_Cli Laboratory	1184 sqft
7	Side Room	140 sqft
8	Asso. Professor Room	165 sqft
9	Stores (II)	140 sqft

Department of Pedodontics

Sr. No.	Name	Area
1	Central Clinic	1757sqft
2	Professor's room	204 sqft
3	Other rooms	620 sqft


DEAN
Govt. Dental College & Hospital
Aurangabad.

Department of Orthodontics

Sr. No.	Name	Area
1	Central Clinic	1757 sqft
2	Professor's room	204 sqft
3	Associate Professor's room	187 sqft
4	Other rooms	639 sqft

Department of Prosthodontics

Sr. No.	Name	Area
1	Central Clinic	1757 sqft
2	Post Graduate Clinic	598 sqft
3	Professor's room	204 sqft
4	Associate Professor's room	180 sqft
5	Special Clinic	96 sqft
6	Pre-Clinical Laboratory	1530 sqft

Sr. No.	Name	Area
1	Auditorium	1800 sqft
2	Conference Hall (Exam Hall)	1500 sqft
3	Central-Assessment Room	800 sqft
4	Seminar/ Lecture Hall	800 sqft

In both the departments, additional area of the waiting space for patients, corridors and toilets available.

(Dr. Maya S. Indurkar)
DEAN,

Govt. Dental College & Hospital,
Aurangabad.

Dean,

**Govt. Dental College & Hospital,
Chhatrapati Sambhajnagar**